

IN THE CLAIMS:


The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~strike through~~. When strikethrough cannot easily be perceived, or when five or fewer characters are deleted, [[double brackets]] are used to show the deletion. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please AMEND claim 7 in accordance with the following:

1. (original) A toner comprising:


a binder resin comprising a main binder resin and 10 to 100 parts by weight of crystalline polyester, based on 100 parts by weight of the main binder resin,

the crystalline polyester comprising diol represented by Formula 1 below:



wherein, R₁ and R₂ are hydrogen or methyl, and n and m are 1 or 2;

2 to 25 moles of carboxylic anhydride represented by Formula 2 below, based on 100 moles of the diol of Formula 1:




wherein, R₃ is an alkyl group of C₁₋₁₂;

20 to 50 moles of terephthalic acid, based on 100 moles of the diol of Formula 1;

and

2 to 15 moles of trimellitic anhydride represented by Formula 3 below, based on 100 moles of the diol of Formula 1:



a charge control agent; and
a pigment.

2. (original) The toner of claim 1, wherein the crystalline polyester maintains a polymer chain orientation in a molten state.


3. (original) The toner of claim 1, wherein the crystalline polyester has a weight average molecular weight of 10,000 to 100,000.

4. (original) The toner of claim 1, wherein the crystalline polyester has a melting temperature of approximately 100 to 120°C and a glass transition temperature of the crystalline polyester is unobservable in a differential scanning calorimetry (DSC) analysis.


5. (original) The toner of claim 1, wherein the main binder resin comprises styrenes, acrylics, ethers, esters, epoxies, blends or copolymers thereof.

6. (original) The toner of claim 1, wherein the main binder resin has a glass transition temperature of approximately 40 to 70°C and a weight average molecular weight of 10,000 to 1,000,000.

7. (currently amended) A toner comprising:
a binder resin comprising a main binder resin and 10 to 100 parts by weight of crystalline polyester, based on 100 parts by weight of the main binder resin,
the crystalline polyester comprising diol represented by Formula 1 below:



wherein, R_1 and R_2 are hydrogen or methyl, and n and m are 1 or 2;
2 to 25 moles of carboxylic anhydride represented by Formula 2 below, based on 100 moles of the diol of Formula 1:




wherein, R_3 is an alkyl group of C_{1-12} ;

20 to 50 moles of terephthalic acid, based on 100 moles of the diol of Formula 1;

and

2 to 15 moles of trimellitic anhydride represented by Formula 3 below, based on 100 moles of the diol of Formula 1:



a charge control agent; and

a pigment,

~~The toner of claim 1,~~ wherein the main binder resin and the crystalline polyester are blended or form a copolymer.